

**CAZ** Medicines Control Authority of Zimbabwe

**LEF 56** 

## LICENSING AND ENFORCEMENT DIVISION

## **INSPECTION OF NEW PREMISES FOR A PHARMACY**

1.0	Applie	cant
2.0	Name	of Pharmacy
3.0	Addre	ss
4.0	Phone	Number(s) 5.0 Email address
6.0	Inspec	tion date7.0 Name of inspectors
8.0	Name of Supervisor (s)	
9.0	Other staff members	
(Pharn	nacist(s	s), Pharmacy Technician(s), Dispensary Assistants, Interns, OTC Assistants, etc)
10.0	Time	inspection started
11.0	Equipment used (capture the equipment number where applicable):	
	11.1	Inspection Tablet
	11.2	Data Logger
	11.3	Measuring Tape
	11.4	Raman Spectroscopy

Other.....(specify) 11.5

12.0 Inspection Element	Notes	Inspector's Notes
12.1 Front shop	Ability to see all activities in the front shop from the dispensary	
12.2 Premises	Cleanliness and tidiness	

		LEF56
<b>12.3</b> Natural lighting	Visibility within the distance of a metre when lights are switched off	
<b>12.4</b> Artificial lighting	Visibility within the distance of a metre when lights are switched on	
<b>12.5</b> Storage of medicines	Protection from heat, light and moisture Out of reach of the public	
<b>12.6</b> Floor	Smooth and impervious	
<b>12.7</b> Walls	Painted and washable	
12.8 Dispensary	Minimum working space 10 square metres	
12.9 Shelving	Washable and painted	
12.10 Security	Measures in place to protect medicines e.g. metal grills, alarm system, burglar bars, etc.	
<b>12.11</b> Measuring cylinders	At least one (1) 50ml or 100ml for internal preparations At least one (1) 50ml or 100ml for external preparations Labelling to indicate use	
<b>12.12</b> Measuring balance	Type of balance; identification number	
<b>12.13</b> Mortar and pestle	At least one (1) set	

		LEF56
<b>12.14</b> Counting trays	At least two (2) counting trays	
<b>12.15</b> Refrigerator	Model, colour, identification number	
12.16 Thermometer	Identification number; calibration status	
12.17 Hand wash facilities	Double stainless steel sink or single stainless steel sink with separate wash hand basin	
12.18 Water	Running hot and cold water	
12.19 Reference texts	BNF and or Martindale EDLIZ Antiretroviral Therapy Guidelines Any other reference texts	
12.20 Legislation	Medicines and Allied Substances Control Act (Chapter 15:03) Medicines and Allied Substances Control (General) Regulations, SI 150 of 1991 Dangerous Drugs Act (Chapter 15:02) Dangerous Drugs Regulations, RGN 1111 of 1975	
12.21 Registers	Human allopathic medicines register Complementary medicines register Premises and Persons register	

		LEF56
12.22 Recording system	photocopy or patient profile cards or other approved Capturing of repeat	
	prescriptions Back up provided; type of back up	
12.23 Dangerous	Fixed and lockable	
Drug (DD) Cupboard		
12.24 DD registers	Bound books	
12.25 Toilet facilities	Available within the proximity Good working order	

## 13.0 INSPECTOR'S COMMENTS (WHERE APPLICABLE – USE PROVIDED SPACE, REFERENCE RELEVANT COLUMN FROM ABOVE).

Column number	Comments

Column number	Comments

- 14.0 Time inspection ended: .....
- **15.0** I .....the supervisor of these premises agree with the findings made during this inspection.

Signature Date