



## EVALUATIONS AND REGISTRATION DIVISION

### ZIMBABWE LIST OF COVID-19 EMERGENCY USE AUTHORISATIONS

<b>Trade Name</b>	<b>Generic Name</b>	<b>Form</b>	<b>Strength</b>	<b>Dosing Schedule</b>	<b>Manufacturers</b>	<b>Storage Conditions</b>
Sinovac Covid - 19 (CoronaVac)	Inactivated SARS-Cov-2 Virus Vaccine Strain CZ02	Suspension for intramuscular Injection	600 SU/0.5mL per Vial / Pre-filled Syringes	Use at 14 or 28 day intervals, i.e., at day 0 and day 14 during an ongoing outbreak; day 0 and day 28 outside an outbreak	Sinovac Life Sciences Co., Ltd	+5°C ± 3°C
Gam -COVID - Vac (Sputnik)	Recombinant serotype 26 adenoviral particles containing the SARSCoV-2 S protein gene, in the amount of (1.0±0.5) x 1,011 particles per dose.	Solution for intramuscular injection	0.5ml/ dose, Component I (vial) + Component II (vial)	21 day intervals, day 0 and day 21. first 0.5mL of component I, and then three weeks afterwards, 0.5mL of component II is injected	Joint Stock Company GENERIUM (JSC GENERIUM)	Thawed medicinal product - Store in a dark location at a temperature no higher than -18°C Liquid medicinal product - Store in a dark place at +5°C ± 3°C

Trade Name	Generic Name	Form	Strength	Dosing Schedule	Manufacturers	Storage Conditions
Covaxin	Whole-Virion Inactivated SARS-CoV-2 Vaccine (BBV152)	Solution for intramuscular injection	0.5 mL in 2 mL Glass Vial (Single dose). 2.5 mL in 3 mL Glass Vial (Multi dose) 5.0 mL in 5 mL Glass Vial (Multi dose) 10.0 mL in 10 mL Glass Vial (Multi dose)	Use at 28-day intervals, i.e., at day 0 and day 28	Bharat Biotech International Limited	+5°C ± 3°C
Sinopharm	Inactivated, adjuvanted COVID-19 vaccine, BBIBP-CorV	Suspension for intramuscular injection	0.5ml/ dose	Use at 28-day intervals, i.e., at day 0 and day 28	Beijing Institute of Biological Products	+5°C ± 3°C
COVID-19 Vaccine Janssen	Adenovirus type 26 encoding the SARS-CoV-2 spike glycoprotein (Ad26.COV2-S)	Suspension for intramuscular injection	0.5ml/ dose	Administered as a single-dose of 0.5 mL	Janssen Biologics B.V./Janssen Pharmaceutica NV	+5°C ± 3°C
Molnaflu	Molnupiravir	Capsules	200mg	800mg twice daily for 5 days	Aurobindo Pharma Ltd	Store below 30°C
Molxvir	Molnupiravir	Capsules	200mg	800mg twice daily for 5 days	Sun Pharmaceuticals	Store below 30°C

Trade Name	Generic Name	Form	Strength	Dosing Schedule	Manufacturers	Storage Conditions
Desrem	Remdesivir	Powder for concentrate for solution for infusion	100mg	<ul style="list-style-type: none"> <li>• Day 1 – single loading dose of remdesivir 200 mg given by intravenous infusion</li> <li>• Day 2 onwards – 100 mg given once daily by intravenous infusion.</li> </ul> <p>The total duration of treatment should be at least 5 days and not more than 10 days.</p>	1. Mylan Laboratories Limited 2. Gland Pharma Limited	Store diluted remdesivir solution for infusion up to 24 hours at below 25°C or 48 hours in a refrigerator (2°C – 8°C).